








































**RAPIIDCUT**



















**GUIA SELECCIÓN**  
**SELECTION GUIDE**
















C/ Jupiter 47 nave 8 Pol. ind. Can Parellada 08228 Terrassa  
Tel.34 93 7834543, Fax.34 93 7855910  
E.mail: [info@proyecsa.com](mailto:info@proyecsa.com)  
<http://www.proyecsa.com>












ACERO-PRETENSADOS HIGH TENSILE WIRE	CUCHILLAS MAS APROPIADAS: APPROPRIATE BLADES:	CORTADOR NEUMATICO MOD: PNEUMATIC CUTTER MOD:
 <p><b>4 Ø</b></p> <p><b>máx. 180 Kg./mm<sup>2</sup></b></p>	 <p><b>C80LAP</b></p>	 <p><b>6</b></p> <p><b>6L</b></p>
 <p><b>2 x 3 Ø</b></p> <p><b>máx. 180 Kg./mm<sup>2</sup></b></p>	 <p><b>C80LAP</b></p>	 <p><b>6</b></p> <p><b>6L</b></p>
 <p><b>3 x 2.5 Ø</b></p> <p><b>máx. 180 Kg./mm<sup>2</sup></b></p>	 <p><b>TRESM90T</b></p>	 <p><b>TRES 8</b></p> <p><b>TRES 8L</b></p> <p><b>TRES 8XL</b></p>
 <p><b>5 Ø</b></p> <p><b>máx. 180 Kg./mm<sup>2</sup></b></p>	 <p><b>M80L</b></p>	 <p><b>8</b></p> <p><b>8L</b></p> <p><b>8XL</b></p>
 <p><b>7 Ø</b></p> <p><b>máx. 180 Kg./mm<sup>2</sup></b></p>	 <p><b>1280TM</b></p>	 <p>LONG. "A"</p> <p>350 ——— <b>10C</b></p> <p>450 ——— <b>10</b></p> <p>650 ——— <b>10L</b></p>
 <p><b>8 Ø</b></p> <p><b>máx. 180 Kg./mm<sup>2</sup></b></p>	 <p><b>1280TM</b></p>	 <p><b>12</b></p> <p><b>12L</b></p>

<p>CORDÓN DE ACERO PRESTRESSING STRAND</p>  <p><b>CORDÓN DE ACERO PRESTRESSING STRAND</b> máx. 9.5Ø 3/8" 7x3Ø máx. 180 Kg./mm<sup>2</sup></p>	<p>CUCHILLAS MAS APROPIADAS: APPROPRIATE BLADES:</p>  <p><b>1280TM</b></p>	<p>CORTADOR NEUMATICO MOD: PNEUMATIC CUTTER MOD:</p>  <p>LONG. "A"</p> <table border="0"> <tr> <td>350</td> <td>10C</td> </tr> <tr> <td>450</td> <td>10</td> </tr> <tr> <td>650</td> <td>10L</td> </tr> </table>	350	10C	450	10	650	10L
350	10C							
450	10							
650	10L							
<p>CORDÓN DE ACERO PRESTRESSING STRAND</p>  <p><b>CORDÓN DE ACERO PRESTRESSING STRAND</b> máx. 9.5Ø 3/8" 7x3Ø máx. 180 Kg./mm<sup>2</sup></p>	 <p><b>148060V</b></p>	<p>VERY INTENSIVE WORK</p>  <p>LONG. "A"</p> <table border="0"> <tr> <td>350</td> <td>10C HD</td> </tr> <tr> <td>450</td> <td>10 HD</td> </tr> <tr> <td>650</td> <td>10L HD</td> </tr> </table>	350	10C HD	450	10 HD	650	10L HD
350	10C HD							
450	10 HD							
650	10L HD							
<p>CORDÓN DE ACERO PRESTRESSING STRAND</p>  <p><b>CORDÓN DE ACERO PRESTRESSING STRAND</b> máx. 12.7Ø 1/2" 7x4Ø máx. 180 Kg./mm<sup>2</sup></p>	 <p><b>1280TS</b></p>	 <p>12 12L</p>						
<p>CORDÓN DE ACERO PRESTRESSING STRAND</p>  <p><b>CORDÓN DE ACERO PRESTRESSING STRAND</b> máx. 12.7Ø 1/2" 7x4Ø máx. 180 Kg./mm<sup>2</sup></p>	 <p><b>1280TS</b></p>	<p>ANTI-SKID</p>  <p>12LSTR</p>						
<p>CORDÓN DE ACERO PRESTRESSING STRAND</p>  <p><b>CORDÓN DE ACERO PRESTRESSING STRAND</b> máx. 12.7Ø 1/2" 7x4Ø máx. 180 Kg./mm<sup>2</sup></p>	 <p><b>148060V</b></p>	<p>VERY INTENSIVE WORK</p>  <p>12 HD 12L HD</p>						
<p>CORDÓN DE ACERO PRESTRESSING STRAND</p>  <p><b>CORDÓN DE ACERO PRESTRESSING STRAND</b> máx. 16Ø 5/8" 7x5Ø máx. 180 Kg./mm<sup>2</sup></p>	 <p><b>168060R</b></p>	 <p>16</p>						

ACERO-CORRUGADO REBAR AND WIRE MESH	CUCHILLAS MAS APROPIADAS: APPROPRIATE BLADES:	CORTADOR NEUMATICO MOD: PNEUMATIC CUTTER MOD:
 <p>máx. 6 Ø máx. 70 Kg./mm<sup>2</sup></p>	 <p><b>C80LAP</b></p>	 <p>6 6L</p>
 <p>máx. 6 Ø máx. 70 Kg./mm<sup>2</sup></p>	 <p><b>C80AS</b></p>	 <p>6 6L</p>
 <p>máx. 8 Ø máx. 70 Kg./mm<sup>2</sup></p>	 <p><b>M60L</b></p>	 <p>8 8L 8XL</p>
 <p>máx. 8 Ø máx. 70 Kg./mm<sup>2</sup></p>	 <p><b>M60AS</b></p>	 <p>8 8L 8XL</p>
 <p>máx. 10 Ø máx. 70 Kg./mm<sup>2</sup></p>	 <p><b>1260TM</b></p>	 <p>LONG. "A" 350 ——— 10C 450 ——— 10 650 ——— 10L</p>
 <p>máx. 10 Ø máx. 70 Kg./mm<sup>2</sup></p>	 <p><b>1260AS</b></p>	 <p>LONG. "A" 350 ——— 10C 450 ——— 10 650 ——— 10L</p>

ACERO-CORRUGADO REBAR AND WIRE MESH	CUCHILLAS MAS APROPIADAS: APPROPRIATE BLADES:	CORTADOR NEUMATICO MOD: PNEUMATIC CUTTER MOD:
 <p>12 Ø máx. 12 Ø máx. 70 Kg./mm<sup>2</sup></p>	 <p><b>1260TM</b></p>	 <p>12 12L</p>
 <p>12 Ø máx. 12 Ø máx. 70 Kg./mm<sup>2</sup></p>	 <p><b>1260TS</b></p>	 <p>12 12L</p>
 <p>12 Ø máx. 12 Ø máx. 70 Kg./mm<sup>2</sup></p>	 <p><b>1260AS</b></p>	 <p>12 12L</p>
 <p>12 Ø máx. 12 Ø máx. 100 Kg./mm<sup>2</sup></p>	 <p><b>148060V</b></p>	<p>VERY INTENSIVE WORK</p>  <p>12 HD 12L HD</p>
 <p>16 Ø máx. 16 Ø máx. 70 Kg./mm<sup>2</sup></p>	 <p><b>1660V</b></p>	 <p>16</p>

MATERIALES VARIOS DIFFERENT KIND OF MATERIAL	CUCHILLAS MAS APROPIADAS: APPROPRIATE BLADES:	CORTADOR NEUMATICO MOD: PNEUMATIC CUTTER MOD:
 <p><b>13.4 Ø</b>  <b>COPPER WIRE COVERED</b>  <b>máx. 13.4 Ø</b>  <b>SECCIÓN máx.1 x 35 mm<sup>2</sup></b></p>	 <p><b>L60C</b></p>	 <p><b>6</b>  <b>6L</b></p>
 <p><b>FLAT &amp; Ø WIRE</b>  <b>COPPER &amp; ALUMINUM</b>  <b>máx. 25 x 6 máx. 10 Ø</b></p>	 <p><b>L60L</b></p>	 <p><b>8</b>  <b>8L</b>  <b>8XL</b></p>
 <p><b>17.5 Ø</b>  <b>COPPER WIRE COVERED</b>  <b>máx. 17.5 Ø</b>  <b>SECCIÓN máx.1 x 70 mm<sup>2</sup></b></p>	 <p><b>1260TSC</b></p>	 <p><b>LONG. "A"</b>  350 ——— <b>10C</b>  450 ——— <b>10</b>  650 ——— <b>10L</b></p>